

Please read and save these instructions. Read through this owner's manual carefully before using product. Protect yourself and others by observing all safety information, warnings and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instructions for future reference.



MAGNETIC RECHARGEABLE LED WORK LIGHT

FOR CUSTOMER SERVICE



Technical Question?

CALL 1-866-458-2472

customerservice@oem-tools.com

UNPACKING

After unpacking the product, inspect carefully for any damage that may have occurred during transit. Check for loose, missing or damaged parts. If any damage is observed, a shipping damage claim must be filed with the carrier. DO NOT use the OEMTOOLS™ Magnetic Rechargeable LED Work Light if broken, bent, cracked or damaged parts (including labels) are noted.



⚠ WARNING

The following safety information is provided as guidelines to help you operate your Magnetic Rechargeable LED Work Light under the safest possible conditions. Any tool or piece of equipment can be potentially dangerous to use when safety or safe handling instructions are not known or not followed. The following safety instructions are to provide the user with the information necessary for safe use and operation. Please read and retain these instructions for the continued safe use of your product. Failure to follow instructions listed below may result in serious injury. In addition, make sure that anyone that uses the product understands and follows these safety instructions as well.

Explanation of Safety Signal Words

⚠ WARNING: Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.

⚠ CAUTION: Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

CAUTION: Used without the safety alert symbol indicates a potentially hazardous situation which, if not avoided, may result in property damage.

NOTES: Provide clarity and helpful information.

Thank you very much for choosing an OEMTOOLS™ Product!

For future reference, please register your new product at www.oem-tools.com and complete the owner's record below:

Model: _____ **Purchase Date:** _____

Save the receipt, warranty and these instructions. It is important that you read the entire manual to become familiar with this product before you begin using it. This product is designed for certain applications only. OEMTOOLS™ cannot be responsible for issues arising from modification. We strongly recommend this product is not modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the product until you have first contacted customer service to determine if it can or should be performed on the product.

⚠ WARNING: This product can expose you to chemicals, including DEHP and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.



MAGNETIC RECHARGEABLE LED WORK LIGHT



IMPORTANT INSTRUCTIONS AND SAFETY RULES

1. Know your work light. Read this manual carefully. Learn the work light's applications and limitations, as well as, potential hazards specific to it.
2. Keep children away. All children should be kept away from the work area. Never let a child handle a tool without strict adult supervision.
3. Do not use the work light if the switch does not turn it on and off. Any tool that cannot be controlled with the switch is dangerous and must be repaired.
4. Keep away from flammables. Do not attempt to operate this work light near flammable materials or combustibles. Failure to comply may cause serious injury or death.
5. Although eye damage from the OEMTOOLS™ Work Light is unlikely, never stare directly into the beam.
6. Do not attempt to recharge the battery by any other means than USB, via the cable provided.
7. When servicing a tool, use only identical replacement parts. Use of unauthorized parts or failure to follow maintenance instructions may create a risk of injury.
8. The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur. The operator must understand that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.

DISPOSAL

At the end of the useful life of the Work Light, dispose of the components according to all state, federal and local regulations.

BATTERY DISPOSAL

Exposure to high temperatures can cause the batteries to explode; do not dispose of in a fire. Some countries have regulations concerning battery disposal. Follow all applicable regulations. Return used batteries to a collection location for recycling. Call 800-822-8837 or visit www.call2recycle.org to find a collection location.

CHARGING

Fully charge the battery before first use.

OPERATION

The OEMTOOLS™ Rechargeable Work Light features a super bright 3W COB for use as an inspection lamp and an ultra-bright LED flashlight for use as a directional light. A push On/Off button is located on the front of the light. A magnetic 180° adjustable base and two super strong magnets on the back allow the user to mount to any ferrous metal surface. Two 360° swivel hooks are provided to hang the light from a hood or other object. The Li-Ion long life battery is rechargeable via the included USB cord.

MAINTENANCE

1. Always store the OEMTOOLS™ Work Light in a well-protected area where it will not be exposed to inclement weather, corrosive vapors, abrasive dust or any other harmful elements.
2. Keep the Work Light clean by wiping with a damp cloth.
3. Inspect cable periodically, and if damaged, replace.
4. Recharge periodically when not in use.

PRODUCT SPECIFICATIONS

Work Light :	400 Lumens
Top Light :	120 Lumens
Runtime:	3 Hrs. (work light), 9 Hrs. (flashlight)
Charge Time:	4 Hrs.
Lightweight:	0.7 Lbs.

FEATURES:

- Two Powerful magnets on back
- On/Off button for work light and flashlight
- Indicator lights: green when fully charged and red when charging
- High impact, rubberized ABS case for durability
- Two Nylon hooks swivel 360°
- Magnetic 180° adjustable base
- Over charge and over discharge protection
- Ergonomic hand grip for comfort




MAGNETIC RECHARGEABLE LED WORK LIGHT

Figure	Description	Quantity
(A)	3W COB LED Light	1
(B)	On/Off Button	1
(C)	LED Flashlight	1
(D)	Magnetic 180° Adjustable Base	1
(E)	Charging Port	1
(F)	360° Swivel Nylon Hooks	2
(G)	Powerful Magnets	2
	USB Charging Cord (Not Shown)	1
	Adapter (Not Shown)	1

NOTE

Not all components of the Work Light are replacement items, but are illustrated as a convenient reference for location and position in the assembly sequence.



NOTE

OEMTOOLS™ and/or its distributors have provided the parts list and assembly diagram as a reference only. Neither OEMTOOLS™ and/or its distributors make any representation or warranty of any kind to the buyer and/or user of this tool that he or she is qualified to do any repairs or replace any parts of this product. OEMTOOLS™ and its distributors expressly state that all repairs or parts replacement should be done by certified or licensed technicians. The buyer assumes all risk and liability arising out of his or her repairs or parts replacement to the original product.



MAGNETIC RECHARGEABLE LED WORK LIGHT

OEMTOOLS™ ONE YEAR WARRANTY

For up to one year from the date of purchase of this OEMTOOLS™ product you find any defect in material or workmanship, through normal usage, return it to the place of purchase or to OEMTOOLS™ for repair or replacement at our discretion. In order to obtain this service, send your tool and proof of purchase, transportation pre-paid, to OEMTOOLS™ Q.A. Dept., 3580 E. Raines Road #3, Memphis, TN 38118. We will not be responsible for lost or damaged goods during transportation; please insure your package. If our inspection verifies the defect, we will either repair or replace the product at our election, or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

OEMTOOLS™ does not provide warranty for products labeled other than OEM® or OEMTOOLS™. OEMTOOLS™ will not provide any warranty for products subjected to abnormal use. Abnormal use includes, but is not limited to, abuse, accident, alteration, neglect, and unauthorized or unreasonable use or repairs. This warranty does not cover bits, blades, files, batteries, or calibration. We recommend that you maintain your tools and sharpen or replace blades, bits, files, and batteries as necessary. OEMTOOLS™ reserves the right to make any changes in construction or design at any time without any obligation in incorporating such changes to tools or equipment previously sold.

OEMTOOLS™ makes every effort to ensure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of one year from the date of purchase. This warranty does not apply to damage due directly or indirectly to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear or to lack of maintenance.

We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

CONTACT US

3580 E. Raines Road, Suite 3, Memphis, TN 38118
(1-866-458-2472)
email: customerservice@oem-tools.com